

Video Source




SDI



HDMI

Brightness



35

Contrast



75

Hue



50

Saturation



50

Audio Source

Streaming one

Encoder Source

Enable

Stream Type

RTMP

Resolution

1920 × 1080

Frame Rate

50.00

Profile

Main

Entropy

CABAC

GOP

50

Encoder Mode

Medium

Video Bitrate (bps)

6 M

Audio Bitrate (bps)

384 K

RTMP URL

rtmp://a.rtmp.youtube.com/live2

Stream Name

kme6-cw5v-x73v-1cz8-e5k4

Account

arjanreurich@gmail.com

Password

Hiddes#75@9291

Streaming two

Encoder Source

Disable

Stream Type

RTSP

Resolution

1920 × 1080

Frame Rate

15.00

Profile

Main

Entropy

CABAC

GOP

30

Encoder Mode

Medium

Video Bitrate (bps)

256 K

Audio Bitrate (bps)

384 K

RTSP Port

556

RTSP HTTP Port

8556

Account

root

Password

root

File Name

CH01_MAIN_%Y%M%D_%h%m%s_%i

Resolution

1920 × 1080

Profile

Main

Entropy

CABAC

Encoder Mode

Medium

Audio Bitrate (bps)

384 K

Frame Rate

50.00

GOP

50

Video Bitrate (bps)

6 M

It

Start Record

| | | | | | |
|--------|----------------|----|--------|--------|----------|
| Source | Operation mode | CG | System | Status | Vertical |
|--------|----------------|----|--------|--------|----------|

Network

DHCP

Enable

Subnet Mask

255.255.255.0

Primary DNS

192.168.1.100

Apply

Network Setting

Static IP

192.168.1.200

Default Gateway

192.168.1.1

Secondary DNS

0.0.0.0

Apply Default

Disk Information

Device

Device0: USB (29.11G / 59.48G)

Format Type

EXFAT